

FIG. 1




FIG. 2



28

```
<HTML>
<HEAD></HEAD>
<BODY>
<FORM NAME="HTML_form_name" ACTION="HTML_form_action">
  First name: <INPUT TYPE="TEXT" NAME="input_first_name"
              VALUE="Frank" <BR>
  Last name:  <INPUT TYPE="TEXT" NAME="input_last_name"
              VALUE="Dawson"><BR>
  Work number: <INPUT TYPE="TEXT" NAME="input_work_number"
              VALUE="(617) 693-8728"><BR>
```

29

30

```
</FORM>

<script language="xml" type="text/plain">
<xml>
  <?xml version="1.0"?>
  <OSvCard version="3.0" prodid="-//HandGen//NONSGML vGen v1.0//EN">
    <FORM>
      <NAME>HTML_form_name</NAME>
      <ACTION>HTML_form_action</ACTION>
    </FORM>
    <N>
      <FAMILY>input_last_name</FAMILY>
      <GIVEN>input_first_name</GIVEN>
    </N>
    <TEL TEL.TYPE="WORK">input_work_number</TEL>
  </OSvCard>
</xml>
</script>

</BODY>
</HTML>
```

FIG. 3



31

```
<HTML>
<HEAD></HEAD>
<BODY>
<FORM NAME="HTML_form_name" ACTION="HTML_form_action">
  First name:  <INPUT TYPE="TEXT" NAME="input_first_name"
                VALUE="Frank" <BR>
  Last name:   <INPUT TYPE="TEXT" NAME="input_last_name"
                VALUE="Dawson"><BR>
  Work number: <INPUT TYPE="TEXT" NAME="input_work_number"
                VALUE="(617) 693-8728"><BR>
</FORM>
</BODY>
</HTML>
```

32

33

[Save Contact](palmcall:OS_OneTap?ActiveDataType=OSvCard&AddressType=BCard&input_first_name=^FirstName&input_last_name=^LastName&input_work_number=^WorkNumber button)

FIG. 4




FIG. 5




Figure 1 shows a mobile phone screen with a menu. The screen is divided into two main sections. The top section, labeled 42, contains a list of applications: 'OneTap™', 'New Address', 'Map It', 'Get It', 'Email It', 'Find Nearest', 'Check For Updates', 'Launch It Now', and 'Grab My Home'. The bottom section, labeled 43, contains a 'Start' button. A label 44 points to the entire screen area.

FIG. 7